



# Safety Data Sheet

Issue Date: 01-Apr-2013

Revision Date: 24-Jul-2018

Version 2

## 1. IDENTIFICATION

### Product Identifier

**Product Name** 80318 SharkSkin Wood & Deck Stripper

### Other means of identification

**SDS #** SOLAR-003

**Product Code** 10165CL

**UN/ID No** UN3266

### Recommended use of the chemical and restrictions on use

**Recommended Use** Wood and Deck Stripper.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Solar Chemicals Inc.  
3471 Atlanta Industrial Parkway Ste 200  
Atlanta, GA 30331 USA

#### Emergency Telephone Number

**Company Phone Number** 1-800-929-1321

**Emergency Telephone (24 hr)** CHEMTREC 1-800-567-7455 (International)  
1-800-424-9300 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear, slightly thick red liquid

**Physical state** Liquid

**Odor** Chemical odor

### Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

### Signal Word

**Danger**

### Hazard statements

Harmful if swallowed

Causes severe skin burns and eye damage



**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Do not breathe dusts or mists  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 Immediately call a POISON CENTER or doctor  
 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell  
 Rinse mouth  
 Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other hazards**

Harmful to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Sodium hydroxide	1310-73-2	6-10
Potassium hydroxide	1310-58-3	4-6
Disodium Trioxosilicate	10213-79-3	3-5
Diethylene Glycol Monobutyl Ether	112-34-5	2-4
Dimethyl Glutarate	1119-40-0	1.5-3

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST AID MEASURES

**First Aid Measures**

<b>Eye Contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician. Do NOT drive yourself as vision may be impaired.
<b>Skin Contact</b>	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center or doctor/physician.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Give large amounts of milk or water. Immediately call a poison center or doctor/physician.

**Most important symptoms and effects**

**Symptoms** Causes severe skin burns and eye damage. Swallowing may cause burns of the throat, digestive tract, and stomach. Symptoms may not be present for several days. Mist or vapor inhalation can cause irritation to the nose, throat, and upper respiratory tract.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Water spray (fog). Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Product is not flammable.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protection recommended in Section 8.

**Environmental precautions**

**Environmental precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Absorb neutralized product residue on clay, or other inert substance and package in suitable container for disposal.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Keep containers closed when not in use.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place. Store away from heat and incompatible materials. Keep from freezing. Store locked up.

**Incompatible Materials** Acids, organic halogen compounds, and metals such as tin, zinc, and aluminum. May react with ammonium salt solutions resulting in evolution of ammonia gas.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Diethylene Glycol Monobutyl Ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-

**Appropriate engineering controls**

**Engineering Controls**                      Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection**                      Chemical goggles or full face shield.

**Skin and Body Protection**                      Rubber or chemical resistant gloves.

**Respiratory Protection**                      Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Chemical odor
<b>Appearance</b>	Clear, slightly thick red liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Clear red		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	12-14	
<b>Melting point / freezing point</b>	Not determined	
<b>Boiling Point / Boiling Range</b>	Not determined	
<b>Flash Point</b>	Not determined	
<b>Evaporation Rate</b>	Not determined	
<b>Flammability (Solid, Gas)</b>	Liquid-Not applicable	
<b>Flammability Limit in Air</b>		
<b>Upper Flammability Limit</b>	Not determined	
<b>Lower Flammability Limit</b>	Not determined	
<b>Vapor Pressure</b>	Not determined	
<b>Vapor Density</b>	Not determined	
<b>Relative Density</b>	1.1 - 1.2	
<b>Water Solubility</b>	Completely soluble	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Autoignition temperature</b>	Not determined	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	Not determined	
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization**      Hazardous polymerization does not occur.

### Conditions to Avoid

Keep separated from incompatible substances. Keep out of reach of children.

### Incompatible Materials

Acids, organic halogen compounds, and metals such as tin, zinc, and aluminum. May react with ammonium salt solutions resulting in evolution of ammonia gas.

### Hazardous Decomposition Products

Hydrogen. Carbon dioxide and other oxides may be released.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

**Eye Contact**      Avoid contact with eyes.

**Skin Contact**      Avoid contact with skin.

**Inhalation**      Do not inhale.

**Ingestion**      Harmful if swallowed.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hydroxide 1310-73-2	140 - 340 mg/kg ( Rat )	= 1350 mg/kg ( Rabbit )	-
Sodium xylenesulfonate 1300-72-7	= 1000 mg/kg ( Rat )	-	-
Potassium hydroxide 1310-58-3	= 284 mg/kg ( Rat )	-	-
Disodium Trioxosilicate 10213-79-3	= 847 mg/kg ( Rat )	-	-
Diethylene Glycol Monobutyl Ether 112-34-5	= 5660 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-
Dimethyl Glutarate 1119-40-0	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 5.6 mg/L ( Rat ) 4 h
Dimethyl Adipate 627-93-0	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Alcohols, C9-11 ethoxylated 68439-46-3	= 1378 mg/kg ( Rat ) = 1400 mg/kg ( Rat )	> 2 g/kg ( Rabbit )	-

### Information on physical, chemical and toxicological effects

**Symptoms**      Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Causes severe skin burns.
<b>Serious eye damage/eye irritation</b>	Causes severe eye damage.
<b>Carcinogenicity</b>	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

<b>ATEmix (oral)</b>	1,043.43 mg/kg
<b>ATEmix (dermal)</b>	7,950.80 mg/kg

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Harmful to aquatic life with long lasting effects.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	
Potassium hydroxide 1310-58-3		80: 96 h Gambusia affinis mg/L LC50 static	
Diethylene Glycol Monobutyl Ether 112-34-5	100: 96 h Desmodosmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna mg/L EC50
Dimethyl Glutarate 1119-40-0		19.6 - 26.2: 96 h Pimephales promelas mg/L LC50 static	122.1 - 163.5: 48 h Daphnia magna mg/L EC50

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Potassium hydroxide 1310-58-3	0.65 0.83

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods**

<b>Disposal of Wastes</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated Packaging</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive
Potassium hydroxide 1310-58-3	Toxic Corrosive

#### 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

#### **DOT**

**UN/ID No** UN3266  
**Proper Shipping Name** Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Potassium hydroxide)  
**Hazard Class** 8  
**Packing Group** II

#### **IATA**

**UN/ID No** UN3266  
**Proper Shipping Name** Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Potassium hydroxide)  
**Hazard Class** 8  
**Packing Group** II

#### **IMDG**

**UN/ID No** UN3266  
**Proper Shipping Name** Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide, Potassium hydroxide)  
**Hazard Class** 8  
**Packing Group** II  
**Marine Pollutant** This material may meet the definition of a marine pollutant

#### 15. REGULATORY INFORMATION

#### **International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Sodium hydroxide	X	X	X	X	X	X	X	X
Sodium xylenesulfonate	X	X	X	X	X	X	X	X
Potassium hydroxide	X	X	X	X	X	X	X	X
Disodium Trioxosilicate	X				X		X	
Diethylene Glycol Monobutyl Ether	X	X	X	X	X	X	X	X
Dimethyl Glutarate	X	X	X	X	X	X	X	X
Xanthan gum	X	X	X	X	X	X	X	X
Dimethyl Adipate	X	X	X	X	X	X	X	X
Disodium EDTA		X			X		X	X
Alcohols, C9-11 ethoxylated	X	X			X	X	X	X

#### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 313**

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Diethylene Glycol Monobutyl Ether - 112-34-5	112-34-5	2-4	1.0

**CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			X
Potassium hydroxide	1000 lb			X

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	X	X	X
Potassium hydroxide 1310-58-3	X	X	X
Diethylene Glycol Monobutyl Ether 112-34-5	X		X

**16. OTHER INFORMATION****NFPA****Health Hazards****Flammability****Instability****Special Hazards****HMIS**

Not determined

Not determined

Not determined

Not determined

**Health Hazards****Flammability****Physical hazards****Personal Protection**

3

0

1

Not determined

**Issue Date:**

01-Apr-2013

**Revision Date:**

24-Jul-2018

**Revision Note:**

New formula

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**